

MIX LIGHT®

Discover the future of
visual communication.

LED Display PW301

Technical sheet

Price offer



Made in EU



Europe - Romania


Timisoara - Naturii Street 4A, 300431



Products
Catalogue



Official
Website



MIX LIGHT®

Our LED screens are manufactured and assembled in Eastern Europe by AZA Automation, a high-tech leader in Romania, specialized in the research, development, production and service of LED displays.

Founded in 2012 and headquartered in Timisoara, AZA is committed to providing high-quality LED displays and customized solutions for any application.

With a full in-house specialized product development team covering mechanical, hardware, and software engineering, they crafted solutions that seamlessly blended innovation and precision.

MIX LIGHT



LED Display

PW301



Pitch

3 mm



Use

Exterior



Screen area

18,43 mp




Weight

886 kg

LED Display







PW301



LED lifespan: Approximately 100,000 hours
Operating temperature: -30°C~60°C / 10~90%RH / IP54
Max. consumption: 700w/mp ; total 99kw
Nominal consumption: 230w/mp ; total 99kw



Unleash the full potential of your business. Exceptional resolution and wide viewing angles, making them ideal for displaying high-quality content in indoor and outdoor environments.


	Brightness	4210 nits
	Refresh rate	3840 Hz
	Scan Type	1/16
	Viewing angle	130° (horizontal), 130° (vertical)
	Support HDR	2k / 4k / 8k
	Resolution	1600x1280 pixeli

LED Display

PW301



Player Colorlight A200

	Control System	Sincron/Asincron
	Interface	2x HDMI
	Ports	4x Gigabit Ethernet port




Colorlight A200 is a new-generation cloud networking player that supports synchronous display and asynchronous playback. It supports 4K H.265/H.264 hard decoding and 4K VP9 decoding playback. Maximum load capacity is 2.3 million pixels and supports up to 1920×1200@60Hz.

Based on the Colorlight Cloud platform functions such as player monitoring, program creation, program scheduling, program centralized publishing, and multi-level privilege management are supported.

A200 supports networking methods like WiFi, LAN, and 4G (optional), which enables rapid deployment of intelligent cloud management, multi-screen, multi-service, and cross-regional unified management. A200 has a permanent WiFi hotspot and can connect to other WiFi hotspots. Program management and parameter settings can be achieved via smartphones, tablets, and PC. A200 supports command scheduling and LAN scheduling and can achieve automatic brightness settings to meet the brightness adjustment needs of various occasions.

LED Display

PW301



MIX LIGHT®

Creative technologies for tomorrow

+40 727 823 410

office@mixlight.ro

www.mixlight.ro

© 2025 MIX LIGHT. All rights reserved. MIX LIGHT, the MIX LIGHT logo, "Creative technologies for tomorrow" and "Tehnologie creativă pentru viitor" are trademarks or registered trademarks of AZA Automation SRL. MIX LIGHT products are manufactured in Europe respecting the highest quality standards.

